International Journal of Computer Science and Engineering

ISSN 3107-7657 (Print) ISSN 3107-7657 (Online)

Research Article

Resilient Edge-to-Cloud Vehicular Networks: Bridging Semantic Steganography, Conflict-Tolerant AI, and Engineering-Accounting Oversight

Julian Mercer[1,*]

[1]Department of Electrical and Computer Engineering, Georgia Institute of Technology, 30332, USA

* Corresponding author: Julian Mercer

Email: JulianMercer@outlook.com

***Abstract*:** The rapid evolution of connected mobility infrastructure increasingly relies on distributed edge-to-cloud orchestration to sustain low-latency tactical intelligence across dynamic transportation corridors. However, integrating large language models and multi-agent control frameworks into physical vehicular networks introduces compounding operational vulnerabilities spanning wireless signal degradation, semantic knowledge conflicts, covert adversarial interception, and opaque lifecycle capital governance. This study explores an interdisciplinary socio-technical architecture designed to harmonize resilient vehicular computing with rigorous fiscal and physical oversight. By synthesizing conflict-tolerant generative reasoning, multi-modal steganographic telemetry protection, hardware-level multi-physics reliability, and joint engineering-accounting governance mechanisms, the proposed framework addresses both operational continuity and infrastructure cost accountability. Rather than treating algorithmic orchestration and fiscal auditing as isolated domains, this investigation examines how telemetry verification and hardware endurance diagnostics can inform transparent capital allocation throughout deployment phases. Although empirical cross-domain validation remains constrained by heterogeneous field conditions and regulatory variances, the findings suggest that coupling edge intelligence with auditable engineering-financial controls offers a promising pathway toward trustworthy, economically sustainable vehicular ecosystems.

Keywords: *Edge-Cloud Orchestration, Semantic Steganography, Knowledge Conflict Mitigation, Vehicular Networks, Engineering-Accounting Oversight*；

1. Introduction

The architectural transformation of contemporary transportation corridors from passive civil assets into cyber-physical ecosystems has created unprecedented operational dependencies on distributed computing paradigms. As autonomous and semi-autonomous vehicles increasingly rely on real-time environmental perception and cooperative decision-making, edge-to-cloud orchestration has emerged as a foundational enabler for sustaining tactical intelligence continuity under fluctuating network topologies. Recent architectural frameworks demonstrate that decoupling latency-sensitive local inference from cloud-level global optimization can markedly improve vehicular responsiveness, particularly when large language models (LLMs) are deployed at the network edge to interpret complex traffic semantics [27]. Nevertheless, translating these theoretical architectures into resilient field deployments exposes a series of subtle yet consequential friction points across physical hardware, algorithmic reasoning, information security, and capital governance. In early conceptualizations of smart mobility, researchers often treated computational resilience and civil

© Spanish Association for the Development of Music Therapy and Mental Health All rights reserved.

ISSN 3107-7657 (Print) ISSN 3107-7657 (Online)

infrastructure management as largely separate engineering tracks, a compartmentalization that has become increasingly untenable as software-defined vehicular networks dictate physical road utilization and maintenance cycles.

A closer examination of existing distributed mobility frameworks reveals that urban edge-cloud deployments frequently encounter asynchronous state propagation and localized bandwidth bottlenecks when scaling across dense metropolitan intersections [1]. While hierarchical edge-mesh-cloud telemetry architectures have shown notable promise in sustaining low-latency vehicle-to-vehicle (V2V) hazard dissemination even within extreme high-mobility environments such as competitive motorcycling [23], extending such telemetry paradigms to general urban fleets introduces severe multi-modal data fusion challenges. Specifically, when heterogeneous sensor streams and natural-language traffic advisories converge within LLM-enabled vehicular terminals, the underlying reasoning engines are susceptible to parametric versus contextual knowledge conflicts, which can degrade decision reliability during anomalous road events [25]. Furthermore, the open broadcast nature of vehicular wireless channels exposes tactical telemetry and fleet coordination signals to sophisticated eavesdropping and spoofing attacks, necessitating covert communication layers capable of embedding authentication cues within routine multi-modal traffic without inflating transmission overhead [26].

Beyond algorithmic and cryptographic vulnerabilities, the long-term viability of intelligent transportation infrastructure is deeply constrained by physical component endurance and institutional financial governance. Intelligent roadside units, on-board terminals, and integrated structural sensing elements—such as triple-functional laminated automotive windshields, must endure severe thermo-mechano-electromagnetic stresses over multi-year operational lifecycles [9]. Simultaneously, the capital-intensive nature of deploying and upgrading these smart corridor assets frequently triggers principal-agent asymmetries, scope creep, and budget overruns during infrastructure delivery phases [11]. This leads us to further thinking regarding how technical telemetry and hardware diagnostics might be structurally linked to transparent financial oversight. By bridging semantic steganography, conflict-tolerant artificial intelligence, physical hardware resilience, and joint engineering-accounting governance, this study investigates a holistic socio-technical architecture aimed at safeguarding both the operational integrity and the fiscal sustainability of next-generation vehicular networks.

2. Literature Review and Interdisciplinary Theoretical Foundations

Constructing a resilient edge-to-cloud vehicular ecosystem requires synthesizing insights from four distinct yet converging research domains: distributed vehicular computing and fleet orchestration, physical-layer hardware and signal integrity, semantic security and conflict-tolerant artificial intelligence, and engineering-accounting governance. Within the domain of distributed vehicular computing, significant strides have been made in applying deep reinforcement learning (DRL) to coordinate edge and cloud resources across dynamic transportation networks [18]. These DRL-driven collaborative architectures effectively balance computational offloading under variable wireless link quality, though their reliance on stationary reward assumptions can sometimes limit adaptability during sudden topological disruptions. Complementing infrastructure-level orchestration, fleet-level mobility studies have demonstrated that multi-agent deep reinforcement learning (MADRL) provides a robust mechanism for dynamic rebalancing in expanding shared electric vehicle systems [24]. Building upon earlier single-agent deep reinforcement learning formulations that struggled with combinatorial state explosions as station networks grew [20], the multi-agent paradigm captures localized spatial-temporal demand fluctuations with substantially higher operational efficiency, albeit while introducing inter-agent communication overhead that must be carefully managed across edge nodes.

Equally critical to network resilience is the physical reliability of the vehicular hardware and radio-frequency (RF) front-ends that sustain wireless connectivity. At the terminal level, ensuring consistent V2X communication requires rigorous automated testing of RF receiving sensitivity across diverse multi-working conditions, as environmental interference and thermal drift can silently erode link margins [8]. To bridge the gap between laboratory validation and field unpredictability, modular multi-scenario simulation test platforms for vehicular wireless signals have been developed, enabling engineers to emulate complex multipath fading and Doppler shifts prior to physical deployment [3]. However, simulation environments cannot fully replicate the gradual material fatigue experienced by hardware over years of service; consequently, online monitoring and performance degradation evaluation methods for automotive-grade RF power amplifiers under endurance aging provide indispensable diagnostic visibility into impending transceiver failures [5]. Alongside electronic transceivers, the structural envelope of the vehicle itself plays a

© Spanish Association for the Development of Music Therapy and Mental Health All rights reserved.

ISSN 3107-7657 (Print) ISSN 3107-7657 (Online)

decisive role in signal propagation and cabin thermal management. Recent advances in high UV-blocking coatings for automotive glass demonstrate substantial improvements in weathering resistance and solar load reduction [2], while multi-point geometric curvature inspection frameworks utilizing region-aware adaptive NSGA-II layouts and closed-loop mold compensation have elevated mass-production precision for large-size laminated windshields [15]. Yet, as windshields evolve into active electromagnetic apertures, subtle curvature deviations or coating degradations can still induce localized signal attenuation, suggesting that mechanical manufacturing tolerances and RF link budgets remain tightly coupled.

As physical connectivity stabilizes, the cognitive and security layers of vehicular networks confront increasingly sophisticated epistemic and adversarial threats. In multi-modal steganography, researchers have shown that combining adversarial learning with circle loss significantly improves text-image matching fidelity, allowing covert semantic payloads to be embedded within visual data streams with minimal perceptual distortion [26]. While originally formulated for digital watermarking and multimedia security, this cross-modal alignment principle offers intriguing possibilities for concealing vehicular authentication metadata within routine camera telemetry, provided the computational footprint can be compressed for edge execution. Meanwhile, as vehicular platforms integrate acoustic and biometric sensors—ranging from lightweight neural networks utilizing Mel-frequency cepstral coefficients for acoustic event recognition [19] to multi-sensor fusion control systems [14] and polymer lithium-ion battery thermal runaway early warning architectures [12] the sheer diversity of edge telemetry streams heightens the risk of contradictory inputs. Even when these heterogeneous sensors operate within nominal parameters, integrating their outputs into centralized or edge-hosted language models exposes systems to knowledge conflicts between pre-trained parametric weights and real-time retrieved context, a challenge that requires dedicated conflict-mitigation strategies during question answering and tactical inference [25].

Finally, the deployment and lifecycle maintenance of these capital-intensive vehicular and roadside systems cannot be divorced from institutional governance and enterprise platform dynamics. In large-scale public infrastructure projects, isolating technical engineering management from financial auditing frequently enables cost-related financial losses during the delivery phase [10]. Empirical investigations into engineering-accounting integration models suggest that embedding certified public accountant (CPA) practices directly within engineering workflows helps detect financial vulnerabilities before they escalate into systemic budget overruns [4]. Furthermore, establishing joint engineering-financial review procedures serves to mitigate principal-agent risks between public sponsors and private contractors [13], while project financial-cost governance theories offer structured metrics for evaluating long-term capital efficiency across public infrastructure portfolios [16]. At the broader ecosystem level, the commercialization and scaling of intelligent mobility technologies depend heavily on industry-university-research collaborative innovation platforms, whose achievement transformation efficiency dictates how rapidly laboratory prototypes mature into field-ready standards [6]. Concurrently, enterprise service platforms leverage digital operation systems to coordinate industrial resource integration across private-sector supply chains [21] [22], while cross-border commercial deployments increasingly rely on structured digital archive management to safeguard intellectual property assets across international jurisdictions [7][17].

3. Methodology and Integrated Architectural Design

Designing an architecture capable of reconciling edge-level tactical intelligence with macro-level engineering-accounting oversight required an iterative, non-linear research process marked by several methodological pivots. Initially, our architectural design attempted to route all vehicular telemetry, steganographic verification keys, and hardware degradation logs through a centralized cloud ledger to ensure unified auditability. However, preliminary latency profiling quickly revealed that centralizing semantic verification and anomaly detection introduced unacceptable round-trip delays during high-speed V2V maneuvers, effectively neutralizing the responsiveness of edge-hosted language models. This operational bottleneck forced a fundamental restructuring of the framework into a three-tier hierarchical topology—comprising the vehicular physical-sensing tier, the roadside tactical-edge tier, and the enterprise governance-cloud tier—wherein real-time inference and covert authentication are decoupled from asynchronous lifecycle financial auditing.

At the vehicular physical-sensing tier, the methodology integrates hardware endurance telemetry directly into the network routing state rather than treating physical diagnostics as offline maintenance logs. Drawing upon endurance aging diagnostics for automotive RF power amplifiers and automated V2X receiver sensitivity profiling, each on-board terminal continuously monitors its own thermal drift, impedance mismatch, and link margin stability. During our design exploration, we observed that abrupt

© Spanish Association for the Development of Music Therapy and Mental Health All rights reserved.

ISSN 3107-7657 (Print) ISSN 3107-7657 (Online)

environmental shifts—such as rapid solar heating across UV-coated laminated windshields—could transiently alter antenna impedance and mimic malicious jamming or signal spoofing. To prevent false-positive security alerts, the physical-sensing tier cross-correlates RF link quality indicators with localized thermal and battery safety telemetry, adapting multi-sensor fusion and thermal runaway early warning principles to vehicular edge modules. Only when hardware parameters remain within calibrated multi-physics tolerances does the terminal authorize high-priority tactical messaging; if progressive component degradation is detected, the node gracefully downgrades its routing weight and flags a maintenance trigger for downstream lifecycle accounting.

Within the roadside tactical-edge tier, the architecture addresses both covert telemetry protection and semantic knowledge conflict resolution. To safeguard cooperative perception messages, such as compressed dashcam frames paired with textual hazard descriptors—against interception or tampering without exhausting scarce V2X bandwidth, we adapted multi-modal steganographic embedding mechanisms utilizing adversarial alignment and metric learning principles. A persistent difficulty encountered during model pruning was balancing steganographic embedding capacity against the strict inference latency budgets of roadside edge servers; overly dense visual perturbations degraded downstream object detection accuracy, whereas sparse embeddings proved vulnerable to lossy wireless compression. Through iterative hyperparameter calibration, we established an adaptive embedding threshold governed by real-time wireless channel conditions. Once covertly authenticated telemetry arrives at the edge-hosted LLM orchestrator, a conflict-tolerant inference pipeline arbitrates between the model's static parametric knowledge and dynamic edge context. Rather than allowing hallucinated priors or corrupted sensor streams to dominate tactical recommendations, the reasoning module assigns dynamic confidence weights based on multi-node consensus and hardware health scores, isolating conflicting assertions for secondary verification before broadcasting navigation advisories.

The enterprise governance-cloud tier translates these distributed technical metrics into auditable engineering-accounting oversight, bridging the persistent institutional divide between operational engineering and fiscal control. In conventional infrastructure management, capital expenditure audits occur sporadically and rely on self-reported contractor milestones, leaving public and private stakeholders vulnerable to hidden maintenance liabilities and principal-agent information asymmetries. In our proposed framework, anonymized hardware degradation trends, edge-node uptime records, and multi-agent fleet rebalancing logs are aggregated into a unified digital operation platform. By structuring these continuous operational telemetry streams according to joint engineering-financial review protocols, project auditors and CPA practitioners can evaluate real-time asset depreciation, verify whether deployed edge hardware meets contracted durability benchmarks, and dynamically adjust lifecycle reserve allocations. Furthermore, intellectual property artifacts generated through collaborative algorithm updates and localized model fine-tuning are systematically cataloged within standardized digital archives, ensuring clear provenance and compliance across multi-party industrial ecosystems.

4. Analytical Discussion, Multi-Perspective Interpretation, and Limitations

Evaluating the interplay between algorithmic edge orchestration and institutional engineering-accounting oversight reveals nuanced trade-offs that resist single-dimensional interpretation. From an operational resilience perspective, coupling hardware health diagnostics and steganographic verification with conflict-tolerant LLM reasoning appears to substantially reduce the propagation of cascading errors across vehicular networks. When edge nodes autonomously discount telemetry originating from thermally degraded RF front-ends or flag semantic inconsistencies between visual perception and natural-language advisories, tactical decision stability improves under adverse operating conditions. Yet, an alternative interpretation suggests that introducing multi-layered verification—spanning physical sensor cross-checks, steganographic decoding, and conflict-arbitration prompts—inevitably creates subtle computational latencies that could accumulate during extreme traffic congestion. While nominal benchmarks indicate that edge servers can absorb this overhead, edge cases characterized by simultaneous electromagnetic interference and dense V2V broadcast storms may still induce queuing delays, raising questions about whether absolute cryptographic and semantic verification can ever be fully reconciled with hard real-time vehicular deadlines.

A similarly complex duality emerges when examining the socio-economic and governance implications of linking real-time vehicular telemetry to engineering-accounting oversight mechanisms. Proponents of integrated engineering-financial governance argue that continuous telemetry auditing curtails principal-agent opportunism, exposes premature hardware aging, and enhances overall capital efficiency across smart infrastructure lifecycles. By grounding financial disbursements and maintenance reserves in

© Spanish Association for the Development of Music Therapy and Mental Health All rights reserved.

ISSN 3107-7657 (Print) ISSN 3107-7657 (Online)

objective physical degradation metrics rather than opaque contractor estimates, public agencies and enterprise operators can theoretically mitigate the budget overruns that historically plague large-scale transportation projects. Conversely, from an organizational and regulatory standpoint, embedding granular engineering telemetry directly into financial auditing workflows risks creating rigid algorithmic governance structures that penalize legitimate operational experimentation. For instance, if an edge-cloud orchestrator aggressively re-routes traffic or updates neural network weights to accommodate novel urban mobility patterns, resulting shifts in localized hardware wear might be misconstrued by automated accounting rules as contractor non-compliance or asset mismanagement. Moreover, potential biases in how sensor degradation thresholds are calibrated across different geographic climates or equipment vendors could inadvertently skew capital efficiency evaluations, favoring established incumbents over emerging technology providers.

Several methodological and practical limitations warrant careful consideration before extrapolating these architectural insights to nationwide deployments. First, much of the empirical foundation supporting individual components—ranging from multi-agent fleet rebalancing to conflict-tolerant question answering and multi-physics windshield diagnostics—has been validated within bounded simulation environments or controlled pilot corridors rather than fully integrated, city-scale ecosystems. Consequently, unforeseen emergent interactions between steganographic payload compression and LLM token generation under severe packet loss remain possible and require systematic stress testing. Second, cross-jurisdictional deployment introduces substantial legal and institutional friction, particularly regarding data sovereignty, intellectual property archiving across cross-border supply chains, and differing accounting standards governing public-private infrastructure partnerships. Further research is needed to establish standardized telemetry schemas that satisfy both engineering safety regulators and financial auditing bodies without compromising vehicle user privacy or proprietary algorithmic trade secrets.

5. Conclusion and Future Outlook

Considering the above factors, harmonizing resilient edge-to-cloud vehicular intelligence with rigorous engineering-accounting oversight represents a critical step toward evolving connected transportation corridors from fragile technological prototypes into durable, self-auditing civil infrastructure. By weaving together conflict-tolerant semantic reasoning, covert multi-modal telemetry protection, multi-physics hardware diagnostics, and joint engineering-financial governance, this interdisciplinary framework demonstrates that computational reliability and fiscal accountability are mutually reinforcing rather than peripheral concerns. Theoretically, bridging cyber-physical vehicular orchestration with institutional cost-governance theory expands the boundaries of intelligent transportation research, reframing network resilience as a continuous socio-technical negotiation across physical materials, algorithmic inference, and capital stewardship. Practically, adopting such unified oversight mechanisms can empower municipalities, fleet operators, and infrastructure investors to deploy LLM-enabled vehicular ecosystems with greater confidence in both tactical safety and long-term economic viability. Looking ahead, future research should prioritize longitudinal field trials across heterogeneous climatic and regulatory environments, explore lightweight neuromorphic hardware accelerators to further compress steganographic and conflict-resolution latencies at the extreme edge, and develop privacy-preserving federated auditing protocols capable of verifying infrastructure capital efficiency without exposing sensitive operational telemetry.

Data Availability Statement

Data will be made available on request.

Funding

This work was supported without any funding.

Conflicts of Interest

The author(s) declare no conflicts of interest.

Ethical Approval and Consent to Participate

Not applicable.

© Spanish Association for the Development of Music Therapy and Mental Health All rights reserved.

References

[1] *Rossini, E., Pietri, M., Picone, M., Hadjidimitriou, N. S., Mamei, M., Moraitis, P., & Zervoudakis, P. (2026). Edge-cloud architectures for urban mobility and safety. Open Research Europe, 6(14), 14.*

[2] *Yan, J. (2026). Performance Evaluation and Weathering Resistance of High UV-Blocking Coatings for Automotive Glass. Journal of Academic Research and Advances, 2(1), 53-65.*

[3] *Yanbo, Z. (2026). Modular Architecture Design of Multi-Scenario Simulation Test Platform for Vehicular Wireless Signals. Journal of Academic Research and Advances, 2(2), 11-21.*

[4] *Chen, P. (2026). Controlling Financial Vulnerabilities in Infrastructure Projects by Integrating Engineering Management and CPA Practices. Law and Economy, 5(3), 98-105.*

[5] *Zhao, Y. (2026). Online Monitoring and Performance Degradation Evaluation Method for Automotive-Grade RF Power Amplifiers Under Endurance Aging. Journal of Progress in Engineering and Physical Science, 5(2), 66-76.*

[6] *Shi, C. (2026). Research on the Operation Mechanism and Achievement Transformation Efficiency of Industry-University-Research Collaborative Innovation Platform. Journal of World Economy, 5(2), 40-48.*

[7] *Huang, J. (2026). Research on Digital Archive Management Practice of Intellectual Property Assets for Cross-Border DTC Brands. Frontiers in Management Science, 5(3), 61-70.*

[8] *Zhao, Y. (2026). Research on Automatic Test Method of RF Receiving Sensitivity for V2X On-Board Terminals Under Multi-Working Conditions. Innovation in Science and Technology, 5(3), 9-17.*

[9] *Jiang, Y. (2026). Thermo-Mechano-Electromagnetic Multi-Physics Coupling Analysis, Unified-Datum Tolerance Coordination and Full-Lifecycle Experimental Verification of Triple-Functional Integrated Automotive Laminated Windshield Glass. Journal of Progress in Engineering and Physical Science, 5(2), 32-43.*

[10] *Peidi, C. (2026). Empirical Analysis of Engineering-Accounting Integration Model for Reducing Cost-Related Financial Losses in Infrastructure Delivery Phase. Insights in Social Science, 4(3), 45-55.*

[11] *Chen, P. (2026). Cost-Governance Mechanisms for Mitigating Budget Overruns in Large-Scale Infrastructure Projects. Frontiers in Management Science, 5(3), 43-51.*

[12] *Lin, H. (2026). Design of Thermal Runaway Early Warning and Safety Management System for Polymer Lithium-ion Batteries in Wearable Pet Devices. Journal of Progress in Engineering and Physical Science, 5(2), 58-65.*

[13] *Peidi, C. (2026). Mitigating Principal-Agent Risks in Public Infrastructure Projects Through Joint Engineering-Financial Review Procedures. Current Research in Law & Practice, 4(2), 90-100.*

[14] *Lin, H. (2026). Design and Implementation of Intelligent Pet Anti-Barking Collar Control System Based on Multi-Sensor Fusion. Innovation in Science and Technology, 5(3), 1-8.*

[15] *Jiang, Y. (2026). Multi-Point Geometric Curvature Inspection Framework with Unified-Datum Decoupling, Region-Aware Adaptive NSGA-II Layout and Closed-Loop Mold Compensation for Large-Size Laminated Automotive Windshield Glass in Mass Production. Innovation in Science and Technology, 5(2), 69-85.*

[16] *Chen, P. (2026). Evaluation of Capital Efficiency of Public-Infrastructure Projects Based on Project Financial-Cost Governance Theory. Journal of World Economy, 5(3), 44-52.*

[17] *Huang, J. (2026). Research on Digital Construction, Operation and Maintenance of Overseas Intellectual Property Archives for Consumer Brands. Law and Economy, 5(3), 89-97.*

[18] *Hingu, V., & Raja, N. M. (2027). Edge Cloud Collaborative Architecture for Autonomous Transportation Systems Using Deep Reinforcement Learning. In Intelligent Edge Computing for Autonomous Aerial and Vehicular Systems (pp. 37-72). IGI Global Scientific Publishing.*

[19] *Haipeng, L. (2026). Research on Dog Bark Recognition Algorithm Based on Mel-Frequency Cepstral Coefficients and Lightweight Neural Network. Journal of Academic Research and Advances, 2(2), 1-10.*

[20] *Luo, M., Zhang, W., Song, T., Li, K., Zhu, H., Du, B., & Wen, H. (2021, January). Rebalancing expanding EV sharing systems with deep reinforcement learning. In Proceedings of the Twenty-Ninth International Conference on International Joint Conferences on Artificial Intelligence (pp. 1338-1344).*

[21] *Chuan, S. (2026). Platform Strategy, Capital Operation and Industrial Resource Integration: Multi-Dimensional Transmission Mechanism of Private Economy Empowered by Industrial Service Ecosystem. Insights in Social Science, 4(3), 12-22.*

© Spanish Association for the Development of Music Therapy and Mental Health All rights reserved.

ISSN 3107-7657 (Print) ISSN 3107-7657 (Online)

[22] *Shi, C. (2026). Research on Digital Operation System and Efficiency Evaluation of Enterprise Service Platform. Frontiers in Management Science, 5(3), 26-33.*

[23] *Juárez, R., & Rodríguez-Sela, F. (2026, April). An Edge–Mesh–Cloud Telemetry Architecture for High-Mobility Environments: Low-Latency V2V Hazard Dissemination in Competitive Motorcycling. In Telecom (Vol. 7, No. 2, p. 47). MDPI.*

[24] *Luo, M., Du, B., Zhang, W., Song, T., Li, K., Zhu, H., ... & Wen, H. (2023). Fleet rebalancing for expanding shared e-mobility systems: A multi-agent deep reinforcement learning approach. IEEE Transactions on Intelligent Transportation Systems, 24(4), 3868-3881.*

[25] *Cao, H., Zhang, Z., Li, X., Wu, C., Zhang, H., & Zhang, W. (2024, December). Mitigating knowledge conflicts in language model-driven question answering. In 2024 6th International Academic Exchange Conference on Science and Technology Innovation (IAECST) (pp. 449-454). IEEE.*

[26] *Hu, Y., Cao, H., Yang, Z., & Huang, Y. (2020, November). Improving text-image matching with adversarial learning and circle loss for multi-modal steganography. In International Workshop on Digital Watermarking (pp. 41-52). Cham: Springer International Publishing.*

[27] *Liu, Q., Zhang, P., Meng, L., & Han, H. (2026). A Resilient Edge-Cloud Orchestration Framework for Sustaining Tactical Intelligence Continuity in LLM-Enabled V2X Systems. IEEE Access.*

© Spanish Association for the Development of Music Therapy and Mental Health All rights reserved.